Hand Exam

Nails

Koilonychia

- = spoon shaped nails
- suggests iron deficiency
 - 4 also Raynauds or fungal infection

Onycholysis

- = destruction of nails
- seen in hyperthyroid, fungal nail infection and psoriasis

Mee's Lines

- = single white transverse band
- renal failure

Muehrcke's Lines

- paired white transverse bands
- hypoalbuminaemia

Pitting

- psoriasis
- alopecia areata

Splinter Haemorrhages

- = fine longitudinal haemorrhagic streaks
- if febrile \approx infective endocarditis
 - ↓ otherwise can be norm

Nail Fold Infarcts

• vasculitic disorders

Clubbing

- cardiac:
- o endocarditis
- congen cyanotic heart
- thoracic:
 - o bronchial Ca
 - o chronic sup lung
 - o CFA
 - Mesothelioma
- GI:
- Inflam bowel
- o Cirrhosis
- o GI lymphoma
- o Malabsorption e.g. coeliac

Chronic Paronychia

- = chronic infection of nail fold
- give antibiotics PO

Other Hand

Palmar erythema

- assoc with:
 - o liver cirrhosis
 - o pregnancy
 - o polycythaemia

Pigmentation of Palmar Creases

• Addison's

└ normal in blacks/Asians

Dupuytren's Contracture

- Assoc with:
 - Liver disease
 - o Trauma
 - o Epilepsy
 - o Ageing

Surgery when cant lie hand flat

• Surgery when cant lie hand flat on table

Osler's nodes

- Tender raised and discoloured node on pad of finger
- Subacute bacterial endocarditis

Joints

RA

- Swollen PIP with DIP spared
- Ulnar drift of CMC joints
- Z deformity of thumb

OA

• Heberden's (distal) and Bouchard's (proximal) nodes ighthapping just distal to DIP on dorsal aspect

→both = osteophytes